


STANDING SERVER CABINET

800MM WIDE WITH PERFORATED DOORS



Equipped with

- ◆ Removable side walls
- ◆ Floor and roof plate with prepared ventilation openings
- ◆ 4x 19 inch profile with height indication
- ◆ Doors to open both on the right side and on the left side
- ◆ Cable entry at the top and bottom
- ◆ Front door, rear door and side walls equipped with locks
- ◆ Assembled delivery
- ◆ Fully demountable


Maximum load

- ◆ 800 kg

Included


- ◆ 20 cage nut sets
- ◆ 4 height adjustable feet
- ◆ 8 keys (2 per lock)

SPECIFICATIONS




Number	Name	Amount
1	Top plate with cable entry	1
2	Bottom plate	1
3	Doorframes	2
4	Perforated front door with lock	1
5	Perforated back door with lock	1
6	Removable side walls with lock	2
7	Horizontal crossbars	6
8	Vertical profile rails	4
9	Cable management rail	2
10	Height adjustable feet	4


DETAILED DRAWING




Bottom view




Side view




Front view



Side view




Back view




Top view

OPTIONS


The 800mm wide server cabinets with perforated doors are equipped with a curved perforated door on the frontside and a straight door on the backside of the cabinet. The server cabinets from 42U and higher are provided with split back doors.



Curved perforated front
door



Straight perforated
back door




Split back door

EXPLANATION ITEM NUMBERS

Our server cabinets are available in various sizes. The item numbers are based on the dimensions of our server cabinets, making it particularly easy to find the right server cabinet.

DS6618



POSSIBLE DIMENSIONS

Width		Depth		Height		Specifications	
800 mm	8	600 mm	6	18U	18	Perforated door	PP
		800 mm	8	22U	22		
		1000 mm	0	27U	27		
		1200 mm	2	32U	32		
				37U	27		
				42U	42		
				47U	47		

Example 1: 800 mm width x 800 mm depth x 42U height, **perforated door** => **8-8-42-PP = DS8842PP**

Example 2: 800 mm width x 1000 mm depth x 22U height => **8-0-22 = DS8022**

ITEM NUMBERS STANDING SERVER CABINETS 800MM WIDE WITH PERFORATED DOORS

Model	Height	Dimensions in mm (w x d x h)	Dimensions in mm (w x d x h) Including packaging	Weight in KG
DS8818PP	18U	800 x 800 x 1000	850 x 850 x 1120	65
DS8018PP	18U	800 x 1000 x 1000	850 x 1050 x 1120	78
DS8822PP	22U	800 x 800 x 1200	850 x 850 x 1300	76
DS8022PP	22U	800 x 1000 x 1200	850 x 1050 x 1300	88
DS8827PP	27U	800 x 800 x 1400	850 x 850 x 1535	85
DS8027PP	27U	800 x 1000 x 1400	850 x 1050 x 1520	95
DS8832PP	32U	800 x 800 x 1600	850 x 850 x 1740	96
DS8032PP	32U	800 x 1000 x 1600	850 x 1050 x 1740	104
DS8837PP	37U	800 x 800 x 1800	850 x 850 x 1965	108
DS8037PP	37U	800 x 1000 x 1800	850 x 1050 x 1965	117
DS8842PP	42U*	800 x 800 x 2000	850 x 850 x 2185	117
DS8042PP	42U*	800x 1000 x 2000	850 x 1050 x 2185	134
DS8242PP	42U*	800 x 1200 x 2000	850 x 1250 x 2200	147
DS8847PP	47U*	800 x 800 x 2200	850 x 850 x 2420	128
DS8047PP	47U*	800 x 1000 x 2200	850 x 1050 x 2410	149

*** Provided with split back doors**